
ZYLOX TONBRIDGE

ZENFLOW™

PTA Balloon Catheter



Easy Access to The Most Challenging Anatomies

Care
Vision

Company Information

Zylox-Tonbridge Medical Technology Co., Ltd. is one of the leading neurovascular medical device companies in the peripheral and neurovascular interventional medical device market in China.

We have consistently adhered to the strategy of "innovation-driven, platform-empowered", committed to providing all patients, regardless of their race, age, or affluence, with high-quality and affordable medical products.
Looking ahead, Zylox-Tonbridge will continue to embrace enthusiasm, surpass ourselves and keep moving forward.

Innovate
Mission
Quality

ZENFLOW-35

Excellent 6 wings Folding and Re-folding


guarantee low crossing profile and with durable hydrophilic coating optimize balloon crossability

Dual-lumen Shaft Design

minimizes shaft OD while maintaining a large inner lumen for quick inflation and deflation times


Score-Flex Balloon Material

reduces balloon wall thickness without compromising RBP and enhances kink resistance



Product Specification

Catheter Type	Over-The-Wire (OTW)
Guidewire	0.035"
Catheter Tip	Flexible, short and cone-shaped
Balloon Material	Nylon
Folding	Three/six wings
Coating	Hydrophilic coating
Marker	2
Balloon Size	Diameter: 2.0~12.0mm ; Length: 20~220mm
Sheath	5~7F
Usable Length	75, 100, 110 and 130cm



ZENFLOW-18

Low Entry Profile and Excellent Flexibility

conform the product to various anatomies and natural vessel tortuosity

Low Profile Introducer Sheath

results in lower possibility of puncture trauma


Specially-processed Delivery System

reduces kinking, achieves a greater pushability and allows you to treat your patients more effectively



Product Specification

Catheter Type	Over-The-Wire (OTW)
Guidewire	0.018"
Catheter Tip	Flexible, short and cone-shaped
Balloon Material	Nylon
Folding	Three/six wings
Coating	Hydrophilic coating
Marker	2
Balloon Size	Diameter: 2.0~9.0mm ; Length: 20~220mm
Sheath	4~6F
Usable Length	45, 75, 90, 130, 150 and 180cm



ZENFLOW-14

The Broadest Range of Sizes

provides the most comprehensive solution for below-the-knee(BTK) lesions

Advanced Crossability and Pushability

contribute to outstanding balloon performances


Long lengths up to 220mm

The design of long tapered tip enables you to achieve satisfactory outcomes for the most difficult distal lesions



Product Specification

Catheter Type	Over-The-Wire (OTW)
Guidewire	0.014"
Catheter Tip	Flexible, short and cone-shaped
Balloon Material	Nylon
Folding	Three wings
Coating	Hydrophilic coating
Marker	2
Balloon Size	Diameter:1.25-5.0mm; Length: 15-220mm
Sheath	4F
Usable Length	100, 130, 140, 150 and 180cm



ZENFLOW-35

Ordering Information

Usable Length 75cm	Usable Length 100cm	Usable Length 110cm	Usable Length 130cm	Balloon Diameter [mm]	Balloon Length [mm]	NP [atm]	RBP [atm]
--	–	ZW110020002035B	--	2.00	20	6	16
--	–	ZW110025002035B	--	2.50			16
ZW0750300020 35B	ZW100030002035B	ZW110030002035B	ZW130030002035B	3.00			16
ZW0750350020 35B	–	ZW110035002035B	--	3.50			16
ZW0750400020 35B	ZW100040002035B	ZW110040002035B	ZW130040002035B	4.00			16
ZW0750500020 35B	ZW100050002035B	ZW110050002035B	ZW130050002035B	5.00			14
ZW0750600020 35B	ZW100060002035B	--	ZW130060002035B	6.00			13
ZW0750700020 35B	ZW100070002035B	--	ZW130070002035B	7.00			12
ZW0750800020 35B	ZW100080002035B	--	ZW130080002035B	8.00			12
ZW0750900020 35B	ZW100090002035B	--	--	9.00			11
ZW0751000020 35B	ZW100100002035B	--	--	10.00			11
ZW0751200020 35B	ZW100120002035B	--	--	12.00			10
--	–	ZW110020004035B	--	2.00	40	6	16
--	–	ZW110025004035B	--	2.50			16
ZW0750300040 35B	ZW100030004035B	ZW110030004035B	ZW130030004035B	3.00			16
ZW0750350040 35B	–	ZW110035004035B	--	3.50			16
ZW0750400040 35B	ZW100040004035B	ZW110040004035B	ZW130040004035B	4.00			16
ZW0750500040 35B	ZW100050004035B	ZW110050004035B	ZW130050004035B	5.00			14
ZW0750600040 35B	ZW100060004035B	--	ZW130060004035B	6.00			13
ZW0750700040 35B	ZW100070004035B	--	ZW130070004035B	7.00			12
ZW0750800040 35B	ZW100080004035B	--	ZW130080004035B	8.00			12
ZW0750900040 35B	ZW100090004035B	--	--	9.00			11
ZW0751000040 35B	ZW100100004035B	--	--	10.00			11
ZW0751200040 35B	ZW100120004035B	--	--	12.00			10
--	–	ZW110020006035B	--	2.00	60	6	16
--	–	ZW110025006035B	--	2.50			16
ZW0750300060 35B	ZW100030006035B	ZW110030006035B	ZW130030006035B	3.00			16
ZW0750350060 35B	–	ZW110035006035B	--	3.50			16
ZW0750400060 35B	ZW100040006035B	ZW110040006035B	ZW130040006035B	4.00			16
ZW0750500060 35B	ZW100050006035B	ZW110050006035B	ZW130050006035B	5.00			14
ZW0750600060 35B	ZW100060006035B	--	ZW130060006035B	6.00			13
ZW0750700060 35B	ZW100070006035B	--	ZW130070006035B	7.00			12
ZW0750800060 35B	ZW100080006035B	--	ZW130080006035B	8.00			12
ZW0750900060 35B	ZW100090006035B	--	--	9.00			11
ZW0751000060 35B	ZW100100006035B	--	--	10.00			11
--	–	ZW110020008035B	--	2.00	80	6	15
--	–	ZW110025008035B	--	2.50			15
ZW0750300080 35B	ZW100030008035B	ZW110030008035B	ZW130030008035B	3.00			15
ZW0750350080 35B	–	ZW110035008035B	--	3.50			15
ZW0750400080 35B	ZW100040008035B	ZW110040008035B	ZW130040008035B	4.00			15
ZW0750500080 35B	ZW100050008035B	--	ZW130050008035B	5.00			13
ZW0750600080 35B	ZW100060008035B	--	ZW130060008035B	6.00			12
--	–	ZW110020010035B	--	2.00	100	6	15
--	–	ZW110025010035B	--	2.50			15
ZW0750300100 35B	ZW100030010035B	ZW110030010035B	ZW130030010035B	3.00			15
ZW0750350100 35B	–	ZW110035010035B	--	3.50			15
ZW0750400100 35B	ZW100040010035B	ZW110040010035B	ZW130040010035B	4.00			15
ZW0750500100 35B	ZW100050010035B	ZW110050010035B	ZW130050010035B	5.00			13
ZW0750600100 35B	ZW100060010035B	--	ZW130060010035B	6.00			12
--	–	ZW110020012035B	--	2.00	120	6	15
--	–	ZW110025012035B	--	2.50			15
ZW0750300120 35B	ZW100030012035B	ZW110030012035B	ZW130030012035B	3.00			15
ZW0750350120 35B	–	ZW110035012035B	--	3.50			15
ZW0750400120 35B	ZW100040012035B	ZW110040012035B	ZW130040012035B	4.00			15
ZW0750500120 35B	ZW100050012035B	ZW110050012035B	ZW130050012035B	5.00			13
ZW0750600120 35B	ZW100060012035B	--	ZW130060012035B	6.00			12
--	–	ZW110020015035B	--	2.00	150	6	15
--	–	ZW110025015035B	--	2.50			15
ZW0750300150 35B	ZW100030015035B	ZW110030015035B	ZW130030015035B	3.00			15
ZW0750350150 35B	–	ZW110035015035B	--	3.50			15
ZW0750400150 35B	ZW100040015035B	ZW110040015035B	ZW130040015035B	4.00			15
ZW0750500150 35B	ZW100050015035B	--	ZW130050015035B	5.00			13
ZW0750600150 35B	ZW100060015035B	--	ZW130060015035B	6.00			12
--	–	ZW110020022035B	--	2.00	220	6	15
--	–	ZW110025022035B	--	2.50			15
ZW0750300220 35B	ZW100030022035B	ZW110030022035B	ZW130030022035B	3.00			15
ZW0750350220 35B	–	ZW110035022035B	--	3.50			15
ZW0750400220 35B	ZW100040022035B	ZW110040022035B	ZW130040022035B	4.00			15
ZW0750500220 35B	ZW100050022035B	--	ZW130050022035B	5.00			13
ZW0750600220 35B	ZW100060022035B	--	ZW130060022035B	6.00			12

ZENFLOW-18

Ordering Information

Usable Length 45cm	Usable Length 75cm	Usable Length 90cm	Usable Length 130cm	Usable Length 150cm	Usable Length 180cm	Balloon Diameter [mm]	Balloon Length [mm]	NP [atm]	RBP [atm]
–	ZW075020002018B	--	ZW130020002018B	–	--	2.00	20	6	16
–	ZW075025002018B	--	ZW130025002018B	–	--	2.50			16
–	ZW075030002018B	--	ZW130030002018B	–	--	3.00			16
–	ZW075035002018B	--	ZW130035002018B	–	--	3.50			16
–	ZW075040002018B	--	ZW130040002018B	–	--	4.00			16
–	ZW075050002018B	--	ZW130050002018B	–	--	5.00			14
–	ZW075060002018B	--	ZW130060002018B	–	--	6.00			14
–	ZW075020004018B	ZW090020004018B	ZW130020004018B	–	ZW180020004018B	2.00	40	6	16
–	ZW075025004018B	ZW090025004018B	ZW130025004018B	–	ZW180025004018B	2.50			16
–	ZW075030004018B	ZW090030004018B	ZW130030004018B	–	ZW180030004018B	3.00			16
–	ZW075035004018B	--	ZW130035004018B	–	ZW180035004018B	3.50			16
–	ZW075040004018B	--	ZW130040004018B	–	ZW180040004018B	4.00			16
ZW045050004018B	ZW075050004018B	--	ZW130050004018B	ZW150050004018B	ZW180050004018B	5.00			14
ZW045060004018B	ZW075060004018B	--	ZW130060004018B	ZW150060004018B	ZW180060004018B	6.00			14
ZW045070004018B	ZW075070004018B	--	ZW130070004018B	ZW150070004018B	ZW180070004018B	7.00			12
–	ZW075080004018B	--	ZW130080004018B	–	--	8.00			12
–	ZW075090004018B	--	ZW130090004018B	–	--	9.00			11
–	ZW075020006018B	--	ZW130020006018B	–	--	2.00	60	6	16
–	ZW075025006018B	--	ZW130025006018B	–	--	2.50			16
–	ZW075030006018B	--	ZW130030006018B	–	--	3.00			16
–	ZW075035006018B	--	ZW130035006018B	–	--	3.50			16
–	ZW075040006018B	--	ZW130040006018B	–	--	4.00			16
ZW045050006018B	ZW075050006018B	--	ZW130050006018B	–	--	5.00			14
ZW045060006018B	ZW075060006018B	--	ZW130060006018B	–	--	6.00			14
ZW045070006018B	ZW075070006018B	--	ZW130070006018B	–	--	7.00			12
–	ZW075080006018B	--	ZW130080006018B	–	--	8.00			12
–	ZW075090006018B	--	ZW130090006018B	–	--	9.00			11
–	ZW075020008018B	ZW090020008018B	ZW130020008018B	–	ZW180020008018B	2.00	80	6	15
–	ZW075025008018B	ZW090025008018B	ZW130025008018B	–	ZW180025008018B	2.50			15
–	ZW075030008018B	ZW090030008018B	ZW130030008018B	–	ZW180030008018B	3.00			15
–	ZW075035008018B	--	ZW130035008018B	–	ZW180035008018B	3.50			15
–	ZW075040008018B	--	ZW130040008018B	–	ZW180040008018B	4.00			15
–	ZW075050008018B	--	ZW130050008018B	ZW150050008018B	ZW180050008018B	5.00			13
–	ZW075060008018B	--	ZW130060008018B	ZW150060008018B	ZW180060008018B	6.00			12
–	–	--	–	ZW150070008018B	ZW180070008018B	7.00			11
–	ZW075020010018B	--	ZW130020010018B	–	ZW180020010018B	2.00	100	6	15
–	ZW075025010018B	--	ZW130025010018B	–	ZW180025010018B	2.50			15
–	ZW075030010018B	--	ZW130030010018B	–	ZW180030010018B	3.00			15
–	ZW075035010018B	--	ZW130035010018B	–	ZW180035010018B	3.50			15
–	ZW075040010018B	--	ZW130040010018B	–	ZW180040010018B	4.00			15
–	ZW075050010018B	--	ZW130050010018B	ZW150050010018B	ZW180050010018B	5.00			13
–	ZW075060010018B	--	ZW130060010018B	ZW150060010018B	ZW180060010018B	6.00			12
–	–	--	–	ZW150070010018B	ZW180070010018B	7.00			11
–	ZW075020012018B	ZW090020012018B	ZW130020012018B	–	--	2.00	120	6	15
–	ZW075025012018B	ZW090025012018B	ZW130025012018B	–	--	2.50			15
–	ZW075030012018B	ZW090030012018B	ZW130030012018B	–	--	3.00			15
–	ZW075035012018B	--	ZW130035012018B	–	--	3.50			15
–	ZW075040012018B	--	ZW130040012018B	–	--	4.00			15
–	ZW075050012018B	--	ZW130050012018B	ZW150050012018B	ZW180050012018B	5.00			13
–	ZW075060012018B	--	ZW130060012018B	ZW150060012018B	ZW180060012018B	6.00			12
–	–	--	–	ZW150070012018B	ZW180070012018B	7.00			11
–	ZW075020015018B	--	ZW130020015018B	–	--	2.00	150	6	15
–	ZW075025015018B	--	ZW130025015018B	–	--	2.50			15
–	ZW075030015018B	--	ZW130030015018B	–	--	3.00			15
–	ZW075035015018B	--	ZW130035015018B	–	--	3.50			15
–	ZW075040015018B	--	ZW130040015018B	–	--	4.00			15
–	ZW075050015018B	--	ZW130050015018B	–	--	5.00			13
–	ZW075060015018B	--	ZW130060015018B	–	--	6.00			12
–	ZW075020022018B	ZW090020022018B	ZW130020022018B	–	--	2.00	220	6	15
–	ZW075025022018B	ZW090025022018B	ZW130025022018B	–	--	2.50			15
–	ZW075030022018B	ZW090030022018B	ZW130030022018B	–	--	3.00			15
–	ZW075035022018B	--	ZW130035022018B	–	--	3.50			15
–	ZW075040022018B	--	ZW130040022018B	–	--	4.00			15
–	ZW075050022018B	--	ZW130050022018B	–	--	5.00			13
–	ZW075060022018B	--	ZW130060022018B	–	--	6.00			12

ZENFLOW-14

Ordering Information

Usable Length 100cm	Usable Length 130cm	Usable Length 140cm	Usable Length 150cm	Usable Length 180cm	Balloon Diameter [mm]	Balloon Length [mm]	NP [atm]	RBP [atm]
–	–	–	ZW150012501514B	ZW180012501514B	1.25	15	6	14
–	–	–	ZW150015001514B	ZW180015001514B	1.50			14
ZW100015002014B	ZW130015002014B	–	ZW150015002014B	ZW180015002014B	1.50	20	6	16
–	ZW130020002014B	–	--	–	2.00			16
–	ZW130025002014B	–	--	–	2.50			16
–	ZW130030002014B	–	--	–	3.00			16
–	ZW130035002014B	–	--	–	3.50			16
–	ZW130040002014B	–	--	–	4.00			16
–	ZW130050002014B	–	--	–	5.00			14
–	ZW130015003014B	–	--	–	1.50	30	6	16
–	ZW130020003014B	–	--	–	2.00			16
–	ZW130025003014B	–	--	–	2.50			16
–	ZW130030003014B	–	--	–	3.00			16
–	ZW130035003014B	–	--	–	3.50			16
–	ZW130040003014B	–	--	–	4.00			16
–	ZW130050003014B	–	--	–	5.00			14
ZW100015004014B	ZW130015004014B	–	ZW150015004014B	ZW180015004014B	1.50	40	6	16
ZW100020004014B	ZW130020004014B	ZW140020004014B	ZW150020004014B	ZW180020004014B	2.00			16
ZW100025004014B	ZW130025004014B	ZW140025004014B	ZW150025004014B	ZW180025004014B	2.50			16
ZW100030004014B	ZW130030004014B	ZW140030004014B	ZW150030004014B	ZW180030004014B	3.00			16
ZW100035004014B	ZW130035004014B	ZW140035004014B	ZW150035004014B	ZW180035004014B	3.50			16
ZW100040004014B	ZW130040004014B	ZW140040004014B	ZW150040004014B	ZW180040004014B	4.00			16
ZW100050004014B	ZW130050004014B	ZW140050004014B	ZW150050004014B	ZW180050004014B	5.00			14
–	ZW130015006014B	–	--	–	1.50	60	6	16
–	ZW130020006014B	–	--	–	2.00			16
–	ZW130025006014B	–	--	–	2.50			16
–	ZW130030006014B	–	--	–	3.00			16
–	ZW130035006014B	–	--	–	3.50			16
–	ZW130040006014B	–	--	–	4.00			16
–	ZW130050006014B	–	--	–	5.00			14
ZW100015008014B	ZW130015008014B	–	ZW150015008014B	ZW180015008014B	1.50	80	6	16
ZW100020008014B	ZW130020008014B	ZW140020008014B	ZW150020008014B	ZW180020008014B	2.00			15
ZW100025008014B	ZW130025008014B	ZW140025008014B	ZW150025008014B	ZW180025008014B	2.50			15
ZW100030008014B	ZW130030008014B	ZW140030008014B	ZW150030008014B	ZW180030008014B	3.00			15
ZW100035008014B	ZW130035008014B	ZW140035008014B	ZW150035008014B	ZW180035008014B	3.50			15
ZW100040008014B	ZW130040008014B	ZW140040008014B	ZW150040008014B	ZW180040008014B	4.00			15
ZW100050008014B	ZW130050008014B	ZW140050008014B	ZW150050008014B	ZW180050008014B	5.00			13
ZW100015010014B	ZW130015010014B	–	ZW150015010014B	ZW180015010014B	1.50	100	6	16
ZW100020010014B	ZW130020010014B	ZW140020010014B	ZW150020010014B	ZW180020010014B	2.00			15
ZW100025010014B	ZW130025010014B	ZW140025010014B	ZW150025010014B	ZW180025010014B	2.50			15
ZW100030010014B	ZW130030010014B	ZW140030010014B	ZW150030010014B	ZW180030010014B	3.00			15
ZW100035010014B	ZW130035010014B	ZW140035010014B	ZW150035010014B	ZW180035010014B	3.50			15
ZW100040010014B	ZW130040010014B	ZW140040010014B	ZW150040010014B	ZW180040010014B	4.00			15
ZW100050010014B	ZW130050010014B	ZW140050010014B	ZW150050010014B	ZW180050010014B	5.00			13
ZW100015012014B	ZW130015012014B	–	ZW150015012014B	ZW180015012014B	1.50	120	6	16
ZW100020012014B	ZW130020012014B	ZW140020012014B	ZW150020012014B	ZW180020012014B	2.00			15
ZW100025012014B	ZW130025012014B	ZW140025012014B	ZW150025012014B	ZW180025012014B	2.50			15
ZW100030012014B	ZW130030012014B	ZW140030012014B	ZW150030012014B	ZW180030012014B	3.00			15
ZW100035012014B	ZW130035012014B	ZW140035012014B	ZW150035012014B	ZW180035012014B	3.50			15
ZW100040012014B	ZW130040012014B	ZW140040012014B	ZW150040012014B	ZW180040012014B	4.00			15
ZW100050012014B	ZW130050012014B	ZW140050012014B	ZW150050012014B	ZW180050012014B	5.00			13
ZW100020015014B	ZW130020015014B	ZW140020015014B	ZW150020015014B	ZW180020015014B	2.00	150	6	15
ZW100025015014B	ZW130025015014B	ZW140025015014B	ZW150025015014B	ZW180025015014B	2.50			15
ZW100030015014B	ZW130030015014B	ZW140030015014B	ZW150030015014B	ZW180030015014B	3.00			15
–	–	ZW140035015014B	--	–	3.50			15
–	–	ZW140040015014B	--	–	4.00			15
–	–	ZW140050015014B	--	–	5.00			13
ZW100020022014B	ZW130020022014B	ZW140020022014B	ZW150020022014B	ZW180020022014B	2.00	220	6	15
ZW100025022014B	ZW130025022014B	ZW140025022014B	ZW150025022014B	ZW180025022014B	2.50			15
ZW100030022014B	ZW130030022014B	ZW140030022014B	ZW150030022014B	ZW180030022014B	3.00			15
–	–	ZW140035022014B	--	–	3.50			15
–	–	ZW140040022014B	--	–	4.00			15
–	–	ZW140050022014B	--	–	5.00			13

Manufactured by:
Zylox-Tonbridge Medical Technology Co., Ltd
TEL: (+86) 571 8861 0082 FAX: (+86) 571 8861 0608 E-mail: info@zyloxmedical.com
Zylox-Tonbridge Industrial Park, No. 270 Shuyun Road, Yuhang District, Hangzhou, Zhejiang Province, China.
www.zyloxtb.com
©2024 Zylox-Tonbridge Medical Technology Co.,Ltd

CE 0123

Imported by:
optimed medizinische Instrumente GmbH
Ferdinand-Porsche- Strasse 11
76275 Ettlingen, Germany
Tel. +49 (0) 7243 / 76 33-0 Fax +49 (0) 7243 / 76 33-624
info@optimed.com
www.optimed.com

EU REP Information:
Shanghai International Holding Corp. GmbH (Europe)
Eiffestrasse 80, 20537 Hamburg, Germany
Tel: +49-40-2513175 Fax: +49-40-255726

ZYLOX TONBRIDGE

zy03028 Rev.02